

# CODES INFO

## Volcanic Environments and Massive Sulfides Conference, November 2000: List of abstracts

Lewis Ponds – a shallow marine polymetallic massive sulfide deposit, Hill End Trough, NSW, Australia M.W. Agnew .....	1
Comparison of tectonic and stratigraphic setting of ores in six VHMS belts: Green Tuff Belt, Skellefte district, Bergslagen, Mt Read Volcanics, Iberian Pyrite Belt and Lachlan Fold Belt R.L. Allen .....	3
The volcanological characteristics of komatiite flow fields and setting of associated NiS ore deposits S.W. Beresford and R.A.F. Cas .....	7
New insights into komatiite-hosted NiS ore genesis S.W. Beresford, R.A.F. Cas, Y. Lahaye, D.D. Lambert, M. Jane and W.E. Stone .....	9
What does a VHMS reaction zone look like? An example from Panorama, Western Australia C.W. Brauhart and D.L. Huston .....	11
Very deepwater silicic explosive volcanic setting of the Ordovician Bald Mountain massive sulfide deposit, northern Maine C. J. Busby, L. Kessel, K. Schulz, M. Foose and J. Slack .....	13
Tectonic settings of Middle Paleozoic VHMS-bearing complexes in the S Ural B. Buschmann, P. Jonas, P.M. Herzig, S. Petersen, C. Buley, V.V. Zaykov, V.V. Maslennikov and V. Simonov .....	15
Preliminary report on the detailed mineralogical study at the alteration zones surrounding the Feitais VMS orebody (Aljustrel, Portugal, IPB) C.M.N. Carvalho and F.J.A.S. Barriga .....	19
Simulating the entry of pyroclastic flows into the sea and the hazard implications R.A.F. Cas, J.J. Monaghan and A. Kos .....	23
Radiogenic lead signatures in Au-rich VHMS deposits and associated magmatic rocks of the Early Tertiary Macuchi island arc (Western Cordillera, Ecuador) M. Chiaradia and L. Fontbot .....	25
Features of the Mount Lyell alteration zone — a large silica–pyrite-rich copper–gold system with an exhalative lead–zinc top K.D. Corbett .....	27
Golden Grove — Archaean Zn–Cu VHMS in Western Australia’s Yilgarn Block G. Cozens, M. Van Eck and J. Martyn .....	29
Tectonic setting of mineralisation, Mt Read Volcanics, western Tasmania A.J. Crawford, C.C. Gifkins and R.L. Allen .....	31
Iron-silica exhalites as windows to massive sulfide infancy: Mt Windsor Volcanic Sub-province, Australia G.J. Davidson, A.J. Stolz and S.M. Eggins .....	35
Massive sulfide mineralisation associated with a frontal arc volcano: Brothers hydrothermal system, Southern Kermadec Arc, New Zealand C. de Ronde, M. Hannington, P. Stoffers, I. Wright, H.-H. Gennerich, P. Browne and P. Herzig .....	37
Sulfur isotope distribution in Late Silurian VHMS deposits, Hill End Trough, NSW P.M. Downes and P.K. Seccombe .....	39
Volcanic setting and sub-seafloor origin of the Highway–Reward deposit, Mount Windsor subprovince, Queensland, Australia M.G. Doyle, J. McPhie and D.L. Huston .....	41
The Central Finland Zinc Belt M. Fairclough, M. Roberts and the Geological Survey of Finland .....	43
Geology and structure of the Lower Southwest orebody, Greens Creek mine, Alaska K. Freitag .....	47
The role of synvolcanic composite intrusions in the generation of VMS hydrothermal systems A.G. Galley .....	51
Exploration criteria developed from the results of VMS Camiro Project 94E07 A. Galley, M. Hannington, B. Taylor, S. Paradis and the Camiro Research Team .....	53
Exploration implications of the geological and geochemical characteristics of footwall and hangingwall alteration, Hellyer VHMS deposit, Tasmania, Australia J.B. Gemmell and R. Fulton .....	57

Evolution of regional semiconformable alteration assemblages within an Archean subseafloor hydrothermal system, and relationship to VMS deposits, at Noranda, Quebec, Canada H.L. Gibson, F. Santaquida, F.I. Paquette-Mihalasky and D.H. Watkinson .....	61
A reconstruction of the volcanic environment hosting Archean seafloor and subseafloor VMS mineralisation at the Potter mine, Munro township, Ontario, Canada. H.L. Gibson and A.P.D. Gamble .....	65
Textural characteristics of diagenetic and hydrothermal alteration in glassy volcanic rocks: examples from the Mount Read Volcanics, Tasmania C. Gifkins, R. Allen and J. McPhie .....	67
A Miocene submarine dacite lava dome at Tate-iwa, Astumi, Yamagata, Japan: extrusions of hot, fluid silicic magma in a bathyal environment Y. Goto and N.Tsuchiya .....	69
Sulfide mineralogy, geochemistry, and ore genesis of the Giant Kidd Creek deposit, Timmins, Ontario, Canada M.D. Hannington .....	73
Submarine epithermal deposits and the VMS-epithermal transition: a new exploration target M.D. Hannington and P.M. Herzig .....	75
Ancient hydrothermal vent communities associated with volcanic-hosted massive sulfide deposits: evidence of seafloor setting R.J. Herrington and C.T.S. Little .....	79
Volcanic-hosted massive sulfide deposits of the southern Urals, their ore facies and geological settings R. Herrington, R. Armstrong, V. Zaykov and V. Maslennikov .....	81
Conical Seamount: a submarine analog of the Ladolam epithermal gold deposit on Lihir Island, Papua New Guinea? Peter M. Herzig, Sven Petersen, Mark D. Hannington and Ian R. Jonasson .....	83
Isotopic composition of the felsic volcanics of the Mt Read Volcanics, Western Tasmania P. Hollings, A.J. Crawford and D. Whitford .....	85
Origin of the Gacun volcanic-hosted massive sulfide deposit in Sichuan, China: Fluid inclusion and stable isotope evidence Z. Hou, Khin Zaw, X. Qu, Q. Ye, J. Yu, M. Xu, D. Fu and X. Yin .....	87
The Sturgeon Lake caldera complex, northwestern Ontario: volcanological evolution of an Archean shallow water VHMS belt G.J. Hudak, R.L. Morton, D.M. Peterson and J.M. Franklin .....	89
Shallow water volcanic-hosted massive sulfide deposits: how common are they? D.L. Huston and R. Cas .....	93
A century of evolution in knowledge and genetic understanding of massive sulfide deposits R.W. Hutchinson .....	97
The Cu(-Au) stockwork deposit of Salgadinho, Cercal, Pyrite Belt, SW Portugal — Paragenetic sequence and fluid inclusion investigation C.M.C. Inverno, C.J.C.D. Lopes, F.L.C. d'Orey and D. de Carvalho .....	99
Tin mineralisation in the giant Neves Corvo massive sulfide deposit, Iberian Pyrite Belt: cassiterite compositions and genetic implications S-Y. Jiang, J.-M. Yu, W.-L. Zhang, & R.-C. Wang .....	103
Geological and geochemical characteristics of siliceous 'cap rocks', Myra Falls VHMS Camp, Vancouver Island, BC, Canada S.A. Jones, J.B. Gemmill, G.J. Davidson and Boliden-Westmin geologists .....	105
Lead in seafloor mineralised systems as a function of magma composition and degassing: constraints from Troodos (Cyprus) and PACMANUS (eastern Manus Basin) V.S. Kamenetsky, M. Solomon, M.V. Portnyagin, J.B. Gemmill and R. Maas.....	107
A new database of Kuroko deposits in northern Japan and its implications on the genesis of the VMS deposits H. Kubota, R. Yamada, S. Tanimura and T. Urabe .....	111
The significance of hybrid deposits in the continuum of VHMS-epithermal and porphyry systems: an example from the Mt Read Volcanics R.R. Large .....	113
Sedimentological and mineralogical diversity of VHMS-bearing palaeohydrothermal fields in the Urals V. Maslennikov .....	115
The geological structure and hydrothermal alteration of the Lagoa Salgada deposit (Iberian Pyrite Belt-Sado Tertiary Basin, Portugal) J.X. Matos, F.J.A.S. Barriga, V.M.J. Oliveira, J.M.R.S. Relvas and P.I.S.T. Conceição .....	119
Formation of a volcanic-hosted massive sulfide deposit in a shallow water setting: the Madneuli Cu-Au deposit, Georgia R. Migineishvili .....	123

Power-law thickness distributions of veins at the Hellyer VHMS deposit, Australia T. Monecke, J.B. Gemmill and J. Monecke .....	127
Zonation of dioctahedral true mica species in the footwall alteration halo of the Waterloo VHMS deposit, northern Queensland, Australia T. Monecke, P.M. Herzig, R. Kleeberg, S. Köhler and J.B. Gemmill .....	131
The Mauriliden volcanogenic Zn–Cu–Au–Ag massive- and network-sulfide deposits, Skellefte district, Sweden C. Montelius, R. Allen, S.-Å. Svenson and P. Weihed .....	135
Strontium, neodymium and lead isotopic evidence for multi-sourced ore-forming fluids in the Neves Corvo deposit, Portugal J. Munhá, J.M.R.S. Relvas, C.C.G. Tassinari and F.J.A.S. Barriga .....	137
The Devonian-Mississippian metallogenetic history of Western Canada, from leading plate margin to continent interior S. Paradis and J.L. Nelson .....	139
Relationships between magmatism and massive sulfide mineralisation in the Riotinto mining district (Iberian Pyrite Belt, Spain): new observations and findings E. Pascual, F. Tornos, J. M. Escobar, T. Donaire, G.R. Almodóvar, M. Toscano, A. Valenzuela and R. Sáez .....	141
Volcanic-hosted massive sulphide-associated paleo-hydrothermal plume fallout and its application to the exploration for concealed Pb–Zn–Cu mineralisation in the Bathurst mining camp, New Brunswick, Canada J.M. Peter .....	143
Setting, mineralogy and geochemistry of the Middle Valley sulfide deposits: results of ODP Leg 169 J.M. Peter, W.D. Goodfellow and Leg 169 Shipboard Scientific Party .....	147
Hydrothermal precipitates from shallow-submarine volcanoes in the Branfield Strait, Antarctica S. Petersen, U. Schwarz-Schampera, P.M. Herzig, G. Bohrmann and G. Klinkhammer.....	149
Tectonic setting of the Finlayson Lake volcanogenic massive sulfide district, Yukon-Tanana Terrane, southeastern Yukon, Canada S.J. Piercey, D.C. Murphy, S. Paradis and J.K. Mortensen .....	153
Evidence for late mineralisation of the Whim Creek Belt, Pilbara Craton, Western Australia G. Pike and R. Cas .....	155
Large felsic intrusions from the Whim Creek Belt, Pilbara Craton: facies characteristics and constraints on emplacement style and mineralisation G.Pike and R. Cas .....	157
The Perubar Ba–Pb–Zn VHMS deposit, Central Peru: a possible Andean Kuroko-type equivalent in a shallow water caldera M. Polliand and L. Fontboté .....	159
Geology, structure, genetic and geological model of Aguas Teñidas Este massive sulfide deposit J.M. Pons, R. Hidalgo, V. Guerrero and K. Anderson .....	163
Successful exploration techniques, Campo Morado precious-metal-bearing volcanogenic massive sulfide district, Guerrero, Mexico M. Rebagliati, J. Payne, J. Oliver, R. Cluff, R. Weston .....	165
Ore geology, hydrothermal alteration and replacement ore-forming mechanisms in the Corvo orebody, Neves Corvo, Portugal J.M.R.S. Relvas, F.J.A.S. Barriga, A. Ferreira and P.C. Noiva .....	167
Tin and base metal supply in the Neves Corvo deposit: implications from ore geochemistry and oxygen, hydrogen and carbon isotope systematics J.M.R.S. Relvas, F.J.A.S. Barriga and F. Longstaffe .....	169
Geochemical and stable isotope signature of metamorphosed alteration assemblages associated with the Ruostesuo Zn–Cu massive sulfide deposit, central Finland: preservation of pre-metamorphic, seafloor-related hydrothermal alteration M. Roberts, N. Oliver, M. Fairclough, P. Hölttä and R. Lahtinen .....	173
Sulfur Isotope and textural zoning of pyrite in mudstone about the polymetallic Eskay Creek deposit, northwestern British Columbia, Canada T. Roth and B.E. Taylor .....	177
High d <sup>18</sup> O and low dD ratios on stringer systems of tge northernmost IPB VHMS deposits: evidence for a magmatic input to the hydrothermal ore-forming fluids? F.J. Sánchez-España, F. Velasco, A. Boyce and A.E. Fallick .....	181
Geochemical modelling of the zoned footwall alteration pipe to the Hellyer VHMS deposit, western Tasmania, Australia C. Schardt, D.R. Cooke, J.B. Gemmill and R.R. Large .....	183

Archean VHMS deposits in the Murchison greenstone belt, RSA: volcanic setting and ore-forming processes	
U. Schwarz-Schampera, P.M. Herzig, H. Terblanche and T. Oberthuer .....	185
High-sulfidation VHMS mineralisation (Ba-Au-Ag-Cu) on Wetar Island, Indonesia	
P.M. Scotney, S. Roberts, R.J. Herrington, D.M. First and A. Boyce .....	189
Metamorphic overprinting of a Late Silurian VHMS deposit: the John Fardy mine, Peelwood district, NSW	
FK. Seccombe, P.M. Downes and S. Brown .....	191
The Archaean Gossan Hill VHMS deposit, Western Australia: Genesis of a structurally focussed, subseafloor replacement and exhalative sulfide-magnetite system	
R. Sharpe and J.B. Gemmell .....	193
Formation of the Battle Mine massive sulfide deposit, Myra Falls VHMS district, Vancouver Island, BC, Canada	
B.J. Sinclair, J.B. Gemmell and R.F. Berry .....	195
Mineralogy and textures of the Battle Zone massive sulfide lenses, Myra Falls district, British Columbia, Canada.	
B.J. Sinclair, R.F. Berry and J.B. Gemmell .....	197
Constructing the massive pyritic ore deposits of the Iberian Pyrite Belt: an explanation involving brine pools, sulphur-deficient ore fluids, and tin granites	
M.Solomon, F.Tornos, O.C. Gaspar and C. Inverno .....	201
Copper and zinc in modern arc and back-arc lavas	
R.L. Stanton .....	203
Hurgledurgles as a guide to ore at Mount Morgan, Queensland: retrogressed dalmatianite and new volcanogenic mineralisation	
A. Taube, R. England, and P. Messenger .....	205
Oxygen isotope mapping and evaluation of palaeo-hydrothermal systems associated with synvolcanic intrusions and VMS deposits	
B.E. Taylor, G.J. Holk and D.L. Huston .....	207
The Greens Creek massive sulfide deposit, southeastern Alaska: Stable isotopic evidence for the involvement of biogenic sulfate reduction in the formation of ores and carbonates.	
C.D. Taylor, J.S. Leventhal, C.A. Johnson and K.G. Lear .....	209
Styles of mineralisation and mechanisms of ore deposition in massive sulfides of the Iberian Pyrite Belt	
F. Tornos .....	211
The Nava-Paredon orebody (SW Spain): a replacement massive sulfide in a shallow subaqueous setting	
F. Tornos, L.Baeza and C.Galindo .....	215
Comparison between the Mount Morgan Au-Cu deposit and the adjacent stratabound Fe-(Cu-Zn) mineralisation	
T. Ulrich, S. D. Golding and A. Taube .....	217
How and where did Kuroko deposits form? – A new view from research on modern seafloor mineralisation in arc-backarc environment	
T. Urabe .....	219
The occurrence of gold in the sulfide deposits of the Iberian Pyrite Belt: evidence of precious metal remobilisation	
F. Velasco, J. Sánchez-España, A. Yanguas and F. Tornos .....	221
Metallogeny and tectonic evolution of the c. 1.9 Ga Skellefte marine, volcanic arc, northern Sweden	
P. Weihed, R.A. Allen and S.-Å. Svenson .....	225
A new tectonic model for the southern Abitibi Belt: factors contributing to a VHMS-rich metallogenic province	
D. Wyman and P. Hollings .....	227
Hydrothermal fluid circulation in modern seafloor massive sulfide deposits and geophysical response: example of the TAG mound	
J. Yang .....	229
Hydrothermal fluid migration in complex submarine volcanic successions	
J. Yang and J. McPhie .....	231